




RK-004-ECO

BAND SAW

FOR STRAIGHT AND CURVED SAWING




**Tilt angle of table
-10° / -45°**




**1 YEAR WARRANTY
AND UNLIMITED SUPPORT**

Power	750W
Max. Cutting thickness	200mm
Max. Cutting width	340mm
Cutting speed	11/16m/min
Saw wheel speed	462/730r/min
Blade size	2685x13mm
Working table size	500x450x32mm
Tilt angle of table	-10° -45°
Saw wheel diameter/thickness	350/27mm
V-belt/quantity	5PJ584/1
Machine size	640x440x1630mm
Packing size	1600x650x860mm
Weight	145kg





Application area


Enterprises and workshops for the production of joinery and construction products, furniture and other woodworking industries.



Purpose

The machines are designed for straight and curved sawing with band saws of boards, panels, sheet materials (wood, chipboard, fiberboard, MDF) into blanks, which is widely used in carpentry, furniture and other areas of the woodworking industry.






Cast iron table

Massive work table made of gray cast iron.
The guide ruler on the table is adjusted according to the millimeter scale.
Pusher with angle scale for easy feeding of workpieces.


Guide bearings

They are located above and below the table. They give the saw stability during sawing, increasing the accuracy of the cut and increasing the life of the saw blade.



Aspiration and brake

Efficient chip removal through suction exit.



Lower wheel



Upper wheel



Tool drawer