




RK-2000-ECO

SLIDING TABLE SAW

BEST CHOICE FOR SMALL WORKSHOPS



**Manual rise/fall
and tilt adjustment
(0-45°)**



**1 YEAR WARRANTY
AND UNLIMITED SUPPORT**

Engine power	3kW
Main board size	385x800mm
Extension table (cast iron)	440x800mm
Extension table (steel plate)	440x800mm
Rear extension table	310x500mm
Sliding table size	2000 x 270mm
Fence	1200-2200mm
Size of main saw	315x30x3mm
The size of a small saw	2-100x20mm
Large saw speed	4500rpm
Small saw speed	8500rpm
Max. Cutting depth	100mm 90° (315), 80mm 45°(315)
Max. Distance from knife to fence	1220mm
Machine size	2000x2900x870mm
Packaging size	940x770x1000mm / 2060x250x320mm
Weight	295kg




A format saw with a scoring saw for processing high-density boards, MDF boards, ABS panels, PVC, solid wood and other materials based on wood or with a similar structure and hardness. The machine is built on a welded steel body with a cast iron fixed table and an aluminum movable table made of profiled aluminum with increased durability. The perfect machine for both professionals and amateur carpenters.

HIGHLIGHTS

- Height and angle adjustable saw blade with scoring unit.
- Grey cast iron table with extension on the right hand side and at the back of the table.
- Smoothly running 2000mm aluminium sliding table with rugged outrigger table incl. support roller.
- Extractable mitre at rip fence with work piece end stop.
- XL Cutting width at rip fence with max. 1250mm.
- Included in delivery: T.C.T. circular saw blade Ø315mm, scoring unit, T.C.T. scoring unit saw blade, extensions, table extensions, rip fence, mitre fence, telescopic fence



DETAILS



DETAILS

● Two cutting discs

The saw is equipped with two cutting discs - the main one and the undercut one, which provides great possibilities for cutting various types of wooden materials.

● Additional scoring blade

The additional scoring disc makes the saw perfect for cutting furniture boards and chipboards, eliminating the risk of chipping and ensuring evenness of the cut.

● Disc tilt

The cutting disc can be tilted from 90° to 45°, which allows you to make bevels and cuts at various angles.

● Replacing the disc

The replacement process is quick and efficient, thanks to the possibility of dismantling the metal top and unscrewing the disc.

● Saw guard

The saw has an effective saw blade guard that can also be connected to an extraction system to help keep your work area clean.

● Control panel

The machine's control panel is located at the bottom of the saw and contains an emergency switch, a knob for angle cuts (45°) and a knob for adjusting the height of the blade with a lock.

● Useful accessories

The machine includes a polished cast iron top, three extension tops and a ruler with an additional measure for measuring and processing large-surface materials. The upper tabletop is equipped with a material length scale, which makes work easier and helps achieve precise results.

● Additional measuring devices

All guides have scales for length and cutting angles, which allows you to quickly set the required angle and length without the need to make additional measurements.

● Compatibility with extraction

The saw is designed to be connected to a sawdust and shavings system with a suction nozzle diameter of 100mm, which helps keep the workplace clean.

