



ЦНЦ РУТЕР


RK-609-ECO

РЕЗЕРВНИ ДЕЛОВИ



X-Axis Stepper Motor

Brand: HH-Motor
 Model: 86H76-450A-14J NEMA 34
 Step Angle: 1.8 degrees
 Power: 5A



Y-Axis Stepper Motor

Brand: HH-Motor
 Model: 86H76-450A-14J NEMA 34
 Step Angle: 1.8 degrees
 Power: 5A




Z-Axis Stepper Motor

Brand: HH-Motor
 Model: 86H76-450A-14J NEMA 34
 Step Angle: 1.8 degrees
 Power: 5A




Spindle

Model: GDZ-19
 Power: AC 220V 6A 400Hz 24000rpm 1.5kW
 Collet Chuck Socket: ER11
 Cooling: Water Cooled




X-Axis Linear Rail (x2)

Model: HGR20
 Width: 20mm
 Height: 17.5mm




Y-Axis Linear Rail (x2)

Model: HGR20
 Width: 20mm
 Height: 17.5mm



Z-Axis Linear Rail (x2)

Model: HGR20
 Width: 20mm
 Height: 17.5mm



X-Axis Linear Ball Bearing Block/Carriage (x4)

Model: HG20




Y-Axis Linear Ball Bearing Block/Carriage (x4)

Model: HG20




Z-Axis Linear Ball Bearing Block/Carriage (x2)

Model: HG20



X-Axis Ballscrew

Diameter: 25mm



Y-Axis Ballscrew

Diameter: 25mm



Z-Axis Ballscrew

Diameter: 25mm




X-Axis Ballscrew Nut&Housing



Y-Axis Ballscrew Nut & Housing




Z-Axis Ballscrew Nut & Housing




X-Axis Ballscrew Mounting Pillow Block Assembly (x2)

Bearing Type: 6202 RS Radial Deep Groove Bearing



Y-Axis Ballscrew Mounting Pillow Block Assembly (x2)

Bearing Type: 6202 RS Radial Deep Groove Bearing



Z-Axis Ballscrew Mounting Pillow Block Assembly (x2)

Bearing Type: 6202 RS Radial Deep Groove Bearing



X-Axis Drag Chain Cable Organizer

Cable Slot Diameter: 38mm
Height: 25mm



Z-Axis Cable Organizer



X-Axis Inductive Proximity Switch/Sensor

Brand: Dawei
 Model: SN04-N
 Power: 10-30V
 Sensing Distance: 5mm



Y-Axis Inductive Proximity Switch/Sensor

Brand: Dawei
 Model: SN04-N
 Power: 10-30V
 Sensing Distance: 5mm




Z-Axis Inductive Proximity Switch/Sensor

Brand: Dawei
 Model: SN04-N
 Power: 10-30V
 Sensing Distance: 5mm




Stepper Motor Driver (x3)

Brand: YAKO
 Model: 2D68MH-DK
 Input Voltage: DC 18-80V
 Drive Current: 5A-5.5A (under 6A)



Power Transformer

Brand: Yibo
 Model: JBK5-1200VA
 Power: 50/60Hz
 Input: 10-11:220V
 Output: 21-22:70V
 21-22:70V
 21-22:70V
 21-22:70V




Inverter

Brand: Folinn, Zhejiang New Folinn Electric
 Model: H110520022BX0
 Input: 1PH AC 220V 50/60Hz
 Output: 3PH 0-220V 0-1000Hz
 Power: 2.2kW 12.5A



Power Buttons

E-Stop Button
 Model: LA38/LA39
 GB-T14048.1 AC-15
 GB-T14048.5 DC-13
 Start Button



Linear Flexible Telescopic Bellows / Dust Cover (X-Gantry)

Height: 155mm




Linear Flexible Telescopic Bellows / Dust Cover (Z-Axis)

Height: 155mm



Flexible Shaft Coupler



Water Pump





КОНТАКТ

- ☎ Информации: +389 70 215 994
- ☎ Продажен салон: 02 3095 002
- ✂ Сервис: +389 71 270 963
- ✉ Е-маил: info@radek.com.mk
- 🌐 Вебсајт: www.radek.com.mk
- 📍 Адреса: Јадранска Магистрала 716

РАБОТНО ВРЕМЕ

- Пон.-Пет.: 09:00-17:00
- Саб.: 09:00-14:00



GOOGLE MAPS:
RADEK WOODWORKING
MACHINES



Web

www.radek.com.mk



Facebook

[radek-woodworking machines](https://www.facebook.com/radek-woodworking-machines)



Instagram

[radek_woodworking_machines](https://www.instagram.com/radek_woodworking_machines)



Startuvaj.mk

www.startuvaj.mk



YouTube

[radek woodworking machines](https://www.youtube.com/radek-woodworking-machines)

**WOODWORKING AND
METALWORKING MACHINES**