



**RK-EC05**

# EDGE BANDING MACHINE

ERGONOMIC, EFFICIENT AND ECONOMICAL



**DUST COLLECTOR  
INCLUDED**




**1 YEAR WARRANTY  
AND UNLIMITED SUPPORT**

Power	4.9kW
Glue pot	4000ml
Panel length	200mm
Panel width	60-100mm
Edge banding width	10~50mm
Edge banding thickness	0.3~3mm
Edge banding power/speed	160W 0~14-m/min
Transmission power/speed	180W 0~14m
Trimming power/speed	800Wx2 24000r/min
Polishing power	400Wx2
Heating time	5~10minutes
Working edge banding power	20W
Machine size	2200x650x1260mm
Packing size	2300x700x1300mm
Weight	350kg



# 1

This machine is suitable for medium-density fiberboard, blockboard, wood panels, particleboard, plywood and other polymer doors.



# 2



Straight edge trimming, disposable with double-sided adhesive tape cutting edge bonding edge pressing, block, chamfer, Tinker, finishing, polishing and other functions of scraping edge, edge smooth, smooth, feel good sealing wire, flat and smooth.



# 3


The equipment operation is stable, reliable and durable.





4

Is especially suitable for small and medium-sized furniture, cabinets and other furniture manufacturers plate using.



# DETAILS

## Advantages




- Compact machine dimensions.
- Automatic feeding of edging material.
- Adjustment of the amount of glue applied.
- Unit for automatic trimming of overhangs.

High speed full automatic edgebanding machine with:

- ➔ **GLUING**
- ➔ **FINE TRIMMING**
- ➔ **END TRIMMING**
- ➔ **SCRAPING**
- ➔ **BUFFING**

## Application area

- The RK-ECO5 automatic edge banding machine is used in small furniture and carpentry industries for manufacture of cabinet furniture.
- Straight edge trim.



High frequency motor  
Trimming and end cutting

Cylinder profile  
scraping device

High-power  
polishing device